



# PRODUCT BROCHURE

x

x

TO MAKE GREAT EFFORTS

TO MAKE A STRONG COMPANY

**Perfection** is the eternal goal of ours | **High quality** hardware manufacturer

## CATALOG

---

Company Introduction -----	01
Our team -----	02
Production equipment -----	03
Laboratory equipment -----	03
Qualification certificate -----	04
Inner diameter 13/14 /15/16mm -----	06
Inner diameter 20/23/25/26/27 mm -----	06
Inner diameter 31/33 mm -----	08
Inner diameter 38/39 mm -----	09
Inner diameter 45/46 mm -----	14
Inner diameter 50/52mm -----	15
Clip buckle -----	15
Slide buckle-----	16
Magnetic buckle-----	18
Automatic buckle -----	20
Special buckle-----	21

# COMPANY INTRODUCTION



**60**

60 patent certifications,  
strong R & D strength

**200**

More than 200  
skilled employees

**20**

20 years of  
production history

## Welcome to visit TURUN

China Foshan Nanhai Danzao Turun Hardware Products Fty., is established in 2000, the workshop occupies over 5,000sqm. We are specializing in manufacturing rhinestone rivet, eyelet, rivet, nail, button, buckle, ornament and all kinds of zinc alloy die casting products for garments, shoes, bags, leather. With the operation philosophy of “high efficiency, innovation, good quality, and customer first” for many years. Our factory own over 200 automatic equipments and products are over 1000 kinds, our customer are spread to the area of Guangdong, Beijing, Fujian, Zhejiang and Shanghai, the products are exported to Occident, Southeast Asia, Middle East etc..

# OUR TEAM

THE SCALE OF THE COMPANY IS STILL GROWING

Establishment **in 2000**


Production Line **8 lines**

Production Area **5000 m<sup>2</sup>**

Employees **Over 200**

Main Products **Over 80**


Other Products **Over 3000**



**DESIGN DEPARTMENT**  
4 ENGINEERS



**DIE CASTING DEPARTMENT**  
50 WORKERS



**MOULD DEPARTMENT**  
15 TECHNICIANS



**ASSEMBLY DEPARTMENT**  
80 WORKERS



**TEST LABORATORY**  
4 ENGINEERS



**PAINTING DEPARTMENT**  
30 WORKERS



**PACKAGING DEPARTMENT**  
50 WORKERS



**LOGISTICS DEPARTMENT**  
8 WORKERS



**SERVICE DEPARTMENT**  
10 OPERATORS


01

High quality hardware manufacturer

02

High quality hardware manufacturer

# PRODUCTION EQUIPMENT



3D PRINTER



DIE CASTING MACHINES



CNC ENGRAVING MACHINE



PAINTING LINE



MIRROR SPARK MACHINE



PRECISION GRINDER

# LABORATORY EQUIPMENT

Salt Spray Test limit 96h

Maximum Tension 2000KG

sweat acid test Limit 90h



SALT SPRAY MACHINE



TENSILE TESTING MACHINE



CONSTANT TEMPERATURE SWEAT MACHINE





# QUALIFICATION CERTIFICATE

With many years of business experience in production management, leading the industry figure embellish black and vision, with capital, technology, talent, and equipment, the pilot field in the hardware. Believe that figure embellish the person's investment, dedication and hard work, will develop a new heaven and earth. Highly decided to figure embellish the influence of, the responsibility of this figure embellish he value, the people will try to figure embellish making the industry first professional brand.

Functional patent certificate 30

Appearance patent certificate 20


International certification certificate 10



03 High quality hardware manufacturer

04 High quality hardware manufacturer

# ZINC ALLOY BUCKLE



## Inner diameter 13/14/15/16 mm



>> **E2577**  
Tension:150kg  
Weight:36g



>> **E2542**  
Tension:150kg  
Weight:36g



>> **E2661**  
Tension:150kg  
Weight:35g



>> **E2447**  
Tension:150kg  
Weight:28g



>> **E2448**  
Tension:150kg  
Weight:29g



>> **E2525**  
Tension:150kg  
Weight:15g

## Inner diameter 20/23/25/26/27mm



>> **E2434**  
Tension:150kg  
Weight:28g



>> **E2436**  
Tension:150kg  
Weight:30g

05 High quality hardware manufacturer

06 High quality hardware manufacturer




>> **E2433**  
Tension:150kg  
Weight:40g



>> **E2435**  
Tension:150kg  
Weight:49g



>> **E2513**  
Tension:200kg  
Weight:62g




>> **E1857**  
Tension:200kg  
Weight:77g



>> **E2443**  
Tension:300kg  
Weight:74g



>> **E2497**  
Tension:100kg  
Weight:47g



>> **E1857**  
Tension:200kg  
Weight:77g



>> **E1857-1**  
Tension:200kg  
Weight:117g



>> **E2463**  
Tension:300kg  
Weight:37g



>> **E2463**  
Tension:300kg  
Weight:37g



>> **E2373**  
Tension:200kg  
Weight:65g



>> **E2555**  
Tension:200kg  
Weight:36g



>> **E2555**  
Tension:200kg  
Weight:36g



>> **E2544**  
Tension:200kg  
Weight:54g



>> **E2544**  
Tension:200kg  
Weight:54g

Inner diameter 31/33mm



>> **E2376**  
Tension:300kg  
Weight:96g



>> **E2408**  
Tension:300kg  
Weight:68g



>> **E2282**  
Tension:300kg  
Weight:110g




>> **E2282**  
Tension:300kg  
Weight:110g



>> **E2408**  
Tension:300kg  
Weight:68g



>> **E2520**  
Tension:300kg  
Weight:48g



>> **E2282**  
Tension:300kg  
Weight:110g



>> **E1986-1**  
Tension:300kg  
Weight:127g



>> **E2493**  
Tension:300kg  
Weight:91g



>> **E2712**  
Tension:300kg  
Weight:60g



>> **E2467**  
Tension:300kg  
Weight:84g



>> **E2455**  
Tension:500kg  
Weight:84g

Inner diameter 38/39mm



>> **E2161**  
Tension:300kg  
Weight:87g



>> **E2394**  
Tension:200kg  
Weight:86g



>> **E2455**  
Tension:500kg  
Weight:84g



>> **E2528**  
Tension:150kg  
Weight:78g  
Material:  
Aluminium alloy

Op High quality hardware manufacturer

10 High quality hardware manufacturer



>> **E2557**  
Tension: 200kg  
Weight: 67g



>> **E2610**  
Tension: 300kg  
Weight: 69g



>> **E2375**  
Tension: 300kg  
Weight: 113g



>> **E2360**  
Tension: 300kg  
Weight: 100g



>> **E2456**  
Tension: 400kg  
Weight: 92g



>> **E2456**  
Tension: 400kg  
Weight: 92g



>> **E2379**  
Tension: 300kg  
Weight: 85g



>> **E2378**  
Tension: 300kg  
Weight: 118g



>> **E1986**  
Tension: 300kg  
Weight: 85g



>> **E1986**  
Tension: 300kg  
Weight: 85g



>> **E2407**  
Tension: 300kg  
Weight: 127g



>> **E2420**  
Tension: 300kg  
Weight: 87g



>> **E1986**  
Tension: 300kg  
Weight: 85g



>> **E1986**  
Tension: 300kg  
Weight: 85g



>> **E2425**  
Tension: 400kg  
Weight: 92g



>> **E2406**  
Tension: 300kg  
Weight: 110g



>> **E2488**  
Tension:500kg  
Weight:94g



>> **E2492**  
Tension:500kg  
Weight:90g



>> **E2375-1**  
Tension:200kg  
Weight:178g



>> **E2224**  
Tension:300kg  
Weight:84g



>> **E2494**  
Tension:500kg  
Weight:101g



>> **E2495**  
Tension:500kg  
Weight:95g



>> **E2224**  
Tension:300kg  
Weight:84g



>> **E2029**  
Tension:300kg  
Weight:110g



>> **A02**  
Tension:300kg  
Weight:86g



>> **E2512**  
Tension:400kg  
Weight:85g



>> **E2676**  
Tension:400kg  
Weight:132g



>> **E2230**  
Tension:300kg  
Weight:134g



>> **E2516**  
Tension:400kg  
Weight:86g



>> **E2711**  
Tension:400kg  
Weight:99g



>> **E2519**  
Tension:400kg  
Weight:89g



>> **E2536**  
Tension:400kg  
Weight:113g

Inner diameter 45/46 mm





>> **E2489**  
Tension:400kg  
Weight:103g



>> **E2072**  
Tension:300kg  
Weight:94g



>> **E2247**  
Tension:200kg  
Weight:44g  
Diameter:26mm



>> **E2457**  
Tension:200kg  
Weight:40g  
Diameter:26mm



>> **E2072-1**  
Tension:300kg  
Weight:138g



>> **E2711**  
Tension:400kg  
Weight:99g



>> **E2560**  
Tension:300kg  
Weight:78g

Inner diameter 50/52 mm



>> **E2621**  
Tension:400kg  
Weight:139g



>> **E2162**  
Tension:300kg  
Weight:132g

Slide buckle



>> **E2592**  
Tension:300kg  
Weight:86g  
Diameter:40mm



>> **E2487B**  
Tension:400kg  
Weight:84g  
Diameter:39mm

Clip buckle



>> **E2438**  
Tension:200kg  
Weight:84g  
Diameter:39mm



>> **E2458**  
Tension:200kg  
Weight:60g  
Diameter:33mm




>> **E2485**  
Tension:400kg  
Weight:76g  
Diameter:39mm



>> **E2485B**  
Tension:400kg  
Weight:87g  
Diameter:39mm




>> **E2486**  
Tension:400kg  
Weight:76g  
Diameter:39mm



>> **E2486B**  
Tension:400kg  
Weight:83g  
Diameter:39mm



>> **E2405B**  
Tension:300kg  
Weight:92g  
Diameter:39mm



>> **E2486B**  
Tension:400kg  
Weight:83g  
Diameter:39mm



>> **E2487**  
Tension:400kg  
Weight:76g  
Diameter:39mm



>> **E2624**  
Tension:300kg  
Weight:41g  
Diameter:39mm



>> **E2625**  
Tension:300kg  
Weight:52g  
Diameter:50mm



>> **E2403B**  
Tension:300kg  
Weight:92g  
Diameter:39mm



>> **E2404B**  
Tension:300kg  
Weight:92g  
Diameter:39mm

Magnetic buckle



>> **E2501**  
Tension:100kg  
Weight:26g  
Diameter:39mm  
Material:Plastic



>> **E2500**  
Tension:200kg  
Weight:71g  
Diameter:39mm



>> **E2594**  
Tension:200kg  
Weight:43g  
Diameter:20mm




>> **E2593**  
Tension:200kg  
Weight:54g  
Diameter:26mm



>> **E2598**  
Tension:100kg  
Weight:23g  
Diameter:26mm  
Material:Plastic



>> **E2599**  
Tension:100kg  
Weight:28g  
Diameter:40mm  
Material:Plastic



>> **E2556**  
Tension:200kg  
Weight:92g  
Diameter:40mm




>> **E2559**  
Tension:200kg  
Weight:90g  
Diameter:40mm



>> **E2585**  
Tension:200kg  
Weight:76g  
Diameter:40mm



>> **E2559**  
Tension:200kg  
Weight:90g  
Diameter:40mm



>> **E2722**  
Tension:100kg  
Weight:78g  
Diameter:33mm



>> **E2723**  
Tension:100kg  
Weight:60g  
Diameter:26mm



>> **E2705**  
Tension:200kg  
Weight:97g  
Diameter:40mm

Automatic buckle



>> **E2633**  
Tension:200kg  
Weight:70g  
Diameter:35mm



>> **E2634**  
Tension:200kg  
Weight:81g  
Diameter:35mm



>> **E2644**  
Tension:200kg  
Weight:86g  
Diameter:35mm



>> **E2645**  
Tension:200kg  
Weight:66g  
Diameter:35mm



>> **E2646**  
Tension:200kg  
Weight:63g  
Diameter:35mm



>> **E2647**  
Tension:200kg  
Weight:64g  
Diameter:35mm



>> **E2662**  
Tension:200kg  
Weight:45g  
Diameter:35mm



>> **E2662**  
Tension:200kg  
Weight:45g  
Diameter:35mm

## Special buckle



>> **E2288**  
Tension: 200kg  
Weight: 79g  
Diameter: 39mm  
27mm



>> **E2295**  
Tension: 200kg  
Weight: 96g  
Diameter: 25mm  
39mm



>> **E2580**  
Tension: 200kg  
Weight: 49g  
Diameter: 31mm  
26mm



>> **E2581**  
Tension: 200kg  
Weight: 54g  
Diameter: 26mm  
25mm